

Clinical Policy: Air Ambulance

Reference Number: CP.MP.175

Date of Last Revision: 05/24

[Coding Implications](#)
[Revision Log](#)

See [Important Reminder](#) at the end of this policy for important regulatory and legal information.

Description

There are two categories of air ambulance services: fixed wing (airplane) and rotary wing (helicopter) aircraft. Fixed wing (FW) or rotary wing (RW) air ambulance are furnished when the medical condition is such that transport by ground ambulance, in whole or in part, is not appropriate. This policy describes medical necessity criteria for air ambulance transportation.

Policy/Criteria

- I. It is the policy of health plans affiliated with Centene Corporation[®] that *air ambulance (fixed wing or rotary wing) transportation* is **medically necessary** when all the following criteria are met:
 - A. Transport by either basic or advanced life support ground ambulance would endanger the health or threaten survival of the member/enrollee. Some examples of applicable conditions include, but are not limited to:
 1. Intracranial bleeding requiring neurosurgical intervention;
 2. Cardiogenic shock;
 3. Burns requiring treatment in a burn center;
 4. Conditions requiring treatment in a Hyperbaric Oxygen Unit;
 5. Multiple severe injuries;
 6. Life-threatening trauma;
 7. Cerebrovascular infarction with the need for tissue plasminogen activator (tPA) at a certified stroke center;
 - B. The location of the member/enrollee needing transport meets any of the following:
 1. The point of pickup is inaccessible by ground vehicle (this condition could be met in Hawaii, Alaska, and in other remote or sparsely populated areas of the continental United States);
 2. Great distances or other obstacles, including traffic, or travel time exceeding 30 to 60 minutes, are involved in getting the patient to the nearest hospital with appropriate facilities via ground transportation (examples: burn care, cardiac care, trauma care, critical care, etc.);
 - C. If transport is requested from one facility to the other, the transferring facility does not have the appropriate services and physician specialists to provide the necessary medical care (e.g., trauma unit, burn unit, cardiac care unit, or pediatric specialty services).
- II. It is the policy of health plans affiliated with Centene Corporation that *air ambulance transportation* is **not medically necessary** for any of the following:
 - A. Member/enrollee is legally pronounced dead before the ambulance is called;
 - B. Transportation is provided primarily for the convenience of the member/enrollee, member's/enrollee's family, or the physician;
 - C. Transportation to a facility that is not an acute care hospital, such as a nursing facility, physician's office, or home;

Air Ambulance

- D. Transportation to receive a service considered not medically necessary, even if the destination is an appropriate facility.

Background

Air ambulances are used to expeditiously transport critically ill patients during life-threatening emergencies when either great distances or other obstacles such as heavy traffic, preclude such rapid delivery to the nearest appropriate facility.⁴ Transport by air ambulance may also be necessary when accessibility by a ground ambulance is not possible. Air ambulance transportation is widely regarded as having a beneficial impact on improving the chances of survival and recovery for trauma victims and other critical patients, particularly in rural areas that lack readily accessible advanced-care facilities such as trauma or burn centers. According to the Association of Air Medical Services, it is estimated that in the United States over 550,000 patients utilize air ambulance services each year.⁴

Rotary wing transport is ideal for transporting critical trauma patients from the scene as they have the ability to land close to the scene of the incident. They can also be utilized for emergent facility-to-facility transport, however, fuel capacity gives them a relatively short range. The fixed wing aircraft is generally used for emergent facility-to-facility transports when a patient must be transported a long distance.⁴ They have the ability to travel at much faster speeds than helicopters, with ranges over 500 miles at speeds between 200 to 300 mph.⁷ Runway requirements for takeoff and landing restrict airplanes, and the patient will usually need one or more transfers involving a ground unit to move them to/from the runway/airport. Fixed wing aircraft provides a transparent hospital-like environment with cardiac monitoring, invasive hemodynamic monitoring, infusion therapy, pulse oximetry, emergency medication, defibrillation with pacing capabilities, and advanced airway management capabilities and is staffed with a flight crew specially trained to provide emergency and critical care medical support.

Coding Implications

This clinical policy references Current Procedural Terminology (CPT®). CPT® is a registered trademark of the American Medical Association. All CPT codes and descriptions are copyrighted 2023, American Medical Association. All rights reserved. CPT codes and CPT descriptions are from the current manuals and those included herein are not intended to be all-inclusive and are included for informational purposes only. Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up to date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

CPT® Codes	Description
N/A	

HCPCS Codes	Description
A0430	Ambulance service, conventional air services, transport, one way (fixed wing)

CLINICAL POLICY

Air Ambulance

HCPCS Codes	Description
A0431	Ambulance service, conventional air services, transport, one way (rotary wing)
A0435	Fixed wing air mileage, per statute mile
A0436	Rotary wing air mileage, per statute mile
S9960	Ambulance service, conventional air services, nonemergency transport, one way (fixed wing)
S9961	Ambulance service, conventional air service, nonemergency transport, one way (rotary wing)

Reviews, Revisions, and Approvals	Revision Date	Approval Date
Policy developed	03/19	4/19
References reviewed and updated	02/20	03/20
Specified that operational capability of rotary wing aircraft is a minimum of 200-250 miles.	05/20	
Renamed policy from Fixed Wing Air Transportation to Air Ambulance. Removed criteria for fixed wing stating that transport distance exceeds that of rotary wing. Applied other fixed wing criteria to both rotary and fixed wing. Added example conditions; added that member location be inaccessible by ground transport, and that obstacles to ground transportation are present, such as great distances, heavy traffic, or travel time over 30-60. Added indications for which air ambulance transport is not considered medically necessary.	08/20	08/20
Changed I.B. to say that “any” of the following should be met, instead of “one.”	04/21	
Annual review. References reviewed, updated and reformatted to AMA. Replaced “member” with “member/enrollee” throughout document. Specialty review completed. Changed “Last Review Date” in header to “Date of Last Revision” and changed “Date” in Revision log to “Revision Date”.	08/21	08/21
Annual Review. Background updated with no impact on criteria. References reviewed and updated.	06/22	06/22
Annual review. References reviewed and updated. Reviewed by internal specialist.	06/23	06/23
Annual review. Under I.A.7. expanded criteria example to include cerebrovascular infarction with the need for tissue plasminogen activator (tPA) at a certified stroke center. References reviewed and updated. Reviewed by external specialist.	05/24	05/24

References

1. Medicare Benefits Policy Manual, Chapter 10 - Ambulance Services. Centers for Medicare and Medicaid Services. <https://www.cms.gov/Regulations-and->

- [Guidance/Guidance/Manuals/downloads/bp102c10.pdf](#) Published July 11, 2014. Revised April 13, 2018. Accessed March 18, 2024.
2. Thomas SH, Brown KM, Oliver ZJ, et al. An Evidence-based Guideline for the air medical transportation of prehospital trauma patients. *Prehosp Emerg Care*. 2014;18 Suppl 1:35-44. doi:10.3109/10903127.2013.844872
 3. Sasser SM, Hunt RC, Faul M, et al. Guidelines for field triage of injured patients: recommendations of the National Expert Panel on Field Triage, 2011. *MMWR Recomm Rep*. 2012;61(RR-1):1-20.
 4. Report of the Council on Medical Service. Air Ambulance Regulations and Payments: CMS Report 2-I-18. <https://www.ama-assn.org/system/files/2018-12/i18-cms-report2.pdf>. Published 2018. Accessed March 18, 2024.
 5. Stewart KE, Cowan LD, Thompson DM, Sacra JC, Albrecht R. Association of direct helicopter versus ground transport and in-hospital mortality in trauma patients: a propensity score analysis. *Acad Emerg Med*. 2011;18(11):1208-1216. doi:10.1111/j.1553-2712.2011.01207.x
 6. Sullivent EE, Faul M, Wald MM. Reduced mortality in injured adults transported by helicopter emergency medical services. *Prehosp Emerg Care*. 2011;15(3):295-302. doi:10.3109/10903127.2011.569849
 7. Loyd JW, Larsen T, Swanson D. Aeromedical Transport. StatPearls. StatPearls Publishing; 2020. Updated August 8, 2022. <https://www.ncbi.nlm.nih.gov/books/NBK518986/#:~:text=Aeromedical%20transportation%20involves%20the%20use,from%20one%20location%20to%20another.&text=Advancement%20in%20technology%20and%20field,the%20patient%20toward%20definitive%20care>. Accessed March 18, 2024.
 8. Medicare coverage of ambulance services. Centers for Medicare and Medicaid Services. <https://www.medicare.gov/Pubs/pdf/11021-Medicare-Coverage-of-Ambulance-Services.pdf>. Published January 2015 (revised August 2023). Accessed March 18, 2024.
 9. Medicare claims processing manual: chapter 15 – ambulance. Centers for Medicare and Medicaid Services. <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/clm104c15.pdf>. Published October 2014 (revised October 13, 2022). Accessed March 18, 2024.
 10. Floccare DJ, Stuhlmiller DF, Braithwaite SA, et al. Appropriate and safe utilization of helicopter emergency medical services: a joint position statement with resource document. *Prehosp Emerg Care*. 2013;17(4):521-525. doi:10.3109/10903127.2013.804139

Important Reminder

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer reviewed medical literature; government agency/program approval status; evidence based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. “Health Plan” means a health

plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members/enrollees. This clinical policy is not intended to recommend treatment for members/enrollees. Members/enrollees should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members/enrollees and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members/enrollees and their representatives agree to be bound by such terms and conditions by providing services to members/enrollees and/or submitting claims for payment for such services.

Note: For Medicaid members/enrollees, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

Note: For Medicare members/enrollees, to ensure consistency with the Medicare National Coverage Determinations (NCD) and Local Coverage Determinations (LCD), all applicable NCDs, LCDs, and Medicare Coverage Articles should be reviewed prior to applying the criteria

CLINICAL POLICY

Air Ambulance



set forth in this clinical policy. Refer to the CMS website at <http://www.cms.gov> for additional information.

©2019 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene[®] and Centene Corporation[®] are registered trademarks exclusively owned by Centene Corporation.