

**Clinical Policy: Sipuleucel-T (Provenge)** 

Reference Number: CP.PHAR.120

Effective Date: 06.01.15 Last Review Date: 05.19

Line of Business: Commercial, HIM-Medical Benefit, Medicaid

Coding Implications
Revision Log

See <u>Important Reminder</u> at the end of this policy for important regulatory and legal information.

## **Description**

Provenge<sup>®</sup> is an autologous cellular immunotherapy.

## FDA Approved Indication(s)

Provenge is indicated for the treatment of asymptomatic or minimally symptomatic metastatic castrate-resistant (hormone-refractory) prostate cancer.

## Policy/Criteria

Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.

It is the policy of health plans affiliated with Centene Corporation<sup>®</sup> that Provenge is **medically necessary** when the following criteria are met:

## I. Initial Approval Criteria

## **A. Prostate Cancer** (must meet all):

- 1. Diagnosis of prostate cancer;
- 2. Prescribed by or in consultation with an oncologist;
- 3. Age  $\geq$  18 years;
- 4. Disease is metastatic and castrate-resistant (hormone-refractory).

Approval duration: 3 complete doses/infusions (total treatment course)

#### **B.** Other diagnoses/indications

1. Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, and CP.PMN.53 for Medicaid and HIM-Medical Benefit.

## **II. Continued Therapy**

### A. Prostate Cancer (must meet all):

- 1. Currently receiving medication via Centene benefit, or documentation supports that member is currently receiving Provenge for prostate cancer and has received this medication for at least 30 days;
- 2. Member is responding positively to therapy;
- 3. Member has not received  $\geq$  3 doses (infusions) of Provenge.

Approval duration: maximum of 3 complete doses (complete course of therapy)

# CLINICAL POLICY Sipuleucel-T



## **B.** Other diagnoses/indications (must meet 1 or 2):

1. Currently receiving medication via Centene benefit and documentation supports positive response to therapy.

Approval duration: Duration of request or 6 months (whichever is less); or

 Refer to the off-label use policy for the relevant line of business if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized): CP.CPA.09 for commercial, and CP.PMN.53 for Medicaid and HIM-Medical Benefit.

#### III. Diagnoses/Indications for which coverage is NOT authorized:

**A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off label use policies – CP.CPA.09 for commercial, and CP.PMN.53 for Medicaid and HIM-Medical Benefit or evidence of coverage documents.

## IV. Appendices/General Information

Appendix A: Abbreviation/Acronym Key FDA: Food and Drug Administration

Appendix B: Therapeutic Alternatives

Not applicable

Appendix C: Contraindications/Boxed Warnings

None reported

V. Dosage and Administration

Indication	Dosing Regimen	Maximum Dose
Asymptomatic or minimally	One dose IV over 60 minutes given	1 dose
symptomatic metastatic	approximately every 2 weeks for 3	approximately
castrate-resistant (hormone-	doses	every 2 weeks
refractory) prostate cancer		(max 3 doses)
	Each dose contains a minimum of 50	
	million autologous CD54+ cells	
	activated with PAP-GM-CSF, in 250	
	ml of Lactated Ringer's Injection	

### VI. Product Availability

Suspension for injection: minimum of 50 million autologous CD54+ cells activated with PAP-GM-CSF, in 250 ml of Lactated Ringer's Injection

## VII. References

- 1. Provenge Prescribing Information. Seattle, WA: Dendreon Corporation; July 2017. Available at: http://www.provenge.com/. Accessed February 26, 2019.
- 2. Sipuleucel-T. In: National Comprehensive Cancer Network Drugs and Biologics Compendium. Available at: <a href="https://www.nccn.org">www.nccn.org</a>. Accessed February 26, 2019.

## CLINICAL POLICY Sipuleucel-T



3. National Comprehensive Cancer Network. Prostate Cancer Version 4.2018. Available at: <a href="https://www.nccn.org/professionals/physician\_gls/pdf/prostate.pdf">https://www.nccn.org/professionals/physician\_gls/pdf/prostate.pdf</a>. Accessed February 26, 2019.

## **Coding Implications**

Codes referenced in this clinical policy are for informational purposes only. Inclusion or exclusion of any codes does not guarantee coverage. Providers should reference the most up-to-date sources of professional coding guidance prior to the submission of claims for reimbursement of covered services.

HCPCS	Description
Codes	
Q2043	Chemotherapy administration, intravenous infusion technique; up to 1 hour, single
	or initial substance/drug

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	06.15	06.15
Policy converted to new template.		06.16
Removed hypersensitivity to Provenge or any of its components as it		
is not listed as a contraindication per PI. Removed NCCN guidance		
for use of Provenge requirements (i.e., ECOG 0-1, no hepatic		
metastases, estimated life expectancy > 6 months) as they are not		
included per labeled indication. Removed requirement relating to		
concomitant chemotherapy or immunosuppressive therapy use as		
those drug interactions are not included as contraindications per PI.		
Reinserted the above-referenced NCCN criteria to support appropriate	11.16	12.16
use (i.e., ECOG 0-1, no hepatic metastases, estimated life expectancy		
> 6 months).		
References reviewed and updated. Added continued approval duration	06.17	06.17
of up to 3 doses for "other diagnoses."		
2Q 2018 annual review: no significant changes; policies combined for	02.13.18	05.18
Commercial and Medicaid; HIM line of business added; age and dose		
added; summarized NCCN and FDA approved uses for improved		
clarity; added specialist involvement in care; added continuity of care		
statement; references reviewed and updated		
2Q 2019 annual review: no significant changes; changed HIM to	02.26.19	05.19
HIM-Medical Benefit line of business; references reviewed and		
updated.		

## **Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical

# CLINICAL POLICY Sipuleucel-T



policy; and other available clinical information. The Health Plan makes no representations and accepts no liability with respect to the content of any external information used or relied upon in developing this clinical policy. This clinical policy is consistent with standards of medical practice current at the time that this clinical policy was approved. "Health Plan" means a health plan that has adopted this clinical policy and that is operated or administered, in whole or in part, by Centene Management Company, LLC, or any of such health plan's affiliates, as applicable.

The purpose of this clinical policy is to provide a guide to medical necessity, which is a component of the guidelines used to assist in making coverage decisions and administering benefits. It does not constitute a contract or guarantee regarding payment or results. Coverage decisions and the administration of benefits are subject to all terms, conditions, exclusions and limitations of the coverage documents (e.g., evidence of coverage, certificate of coverage, policy, contract of insurance, etc.), as well as to state and federal requirements and applicable Health Plan-level administrative policies and procedures.

This clinical policy is effective as of the date determined by the Health Plan. The date of posting may not be the effective date of this clinical policy. This clinical policy may be subject to applicable legal and regulatory requirements relating to provider notification. If there is a discrepancy between the effective date of this clinical policy and any applicable legal or regulatory requirement, the requirements of law and regulation shall govern. The Health Plan retains the right to change, amend or withdraw this clinical policy, and additional clinical policies may be developed and adopted as needed, at any time.

This clinical policy does not constitute medical advice, medical treatment or medical care. It is not intended to dictate to providers how to practice medicine. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members. This clinical policy is not intended to recommend treatment for members. Members should consult with their treating physician in connection with diagnosis and treatment decisions.

Providers referred to in this clinical policy are independent contractors who exercise independent judgment and over whom the Health Plan has no control or right of control. Providers are not agents or employees of the Health Plan.

This clinical policy is the property of the Health Plan. Unauthorized copying, use, and distribution of this clinical policy or any information contained herein are strictly prohibited. Providers, members and their representatives are bound to the terms and conditions expressed herein through the terms of their contracts. Where no such contract exists, providers, members and their representatives agree to be bound by such terms and conditions by providing services to members and/or submitting claims for payment for such services.

#### Note:

**For Medicaid members**, when state Medicaid coverage provisions conflict with the coverage provisions in this clinical policy, state Medicaid coverage provisions take precedence. Please refer to the state Medicaid manual for any coverage provisions pertaining to this clinical policy.

# CLINICAL POLICY Sipuleucel-T



©2015 Centene Corporation. All rights reserved. All materials are exclusively owned by Centene Corporation and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Centene Corporation. You may not alter or remove any trademark, copyright or other notice contained herein. Centene® and Centene Corporation® are registered trademarks exclusively owned by Centene Corporation.